

Number **C1351**



C&F Technics hereby declares that the MAGNUM Cable, types:

<b>300 W</b>	<b>30 W/m</b>	<b>10,0 m</b>
<b>450 W</b>	<b>30 W/m</b>	<b>15,0 m</b>
<b>600 W</b>	<b>30 W/m</b>	<b>20,0 m</b>
<b>750 W</b>	<b>30 W/m</b>	<b>25,0 m</b>
<b>900 W</b>	<b>30 W/m</b>	<b>30,0 m</b>
<b>1.200 W</b>	<b>30 W/m</b>	<b>40,0 m</b>
<b>1.500 W</b>	<b>30 W/m</b>	<b>50,0 m</b>
<b>1.800 W</b>	<b>30 W/m</b>	<b>60,0 m</b>
<b>2.100 W</b>	<b>30 W/m</b>	<b>70,0 m</b>
<b>2.400 W</b>	<b>30 W/m</b>	<b>80,0 m</b>
<b>3.000 W</b>	<b>30 W/m</b>	<b>100,0 m</b>
<b>3.600 W</b>	<b>30 W/m</b>	<b>120,0 m</b>
<b>4.200 W</b>	<b>30 W/m</b>	<b>140,0 m</b>

XLPE heating cable for underfloor heating with a diameter of 7 mm.

Made by **The Wipe Hotwire India Thermal Equipments**

in **Alwar (Rajasthan), India**

meet the essential requirements as described in the **EC Low Voltage Directive (2006/95/EC)**

Tholen, 8<sup>th</sup> February 2018

A. van Haaren  
Vice Director



C&F Technics  
Slabbecoornweg 41a  
4691 RZ Tholen  
The Netherlands